

# IN-MEMORY ACCELERATOR FOR HADOOP®

#### COPYRIGHT AND TRADEMARK INFORMATION

© 2014 GridGain Systems. All rights reserved. This document is provided "as is". Information and views expressed in this document, including URL and other web site references, may change without notice. This document does not provide you with any legal rights to any intellectual property in any GridGain product. You may copy and use this document for your internal reference purposes. GridGain® is a registered trademark of GridGain Systems, Inc. Windows, .NET and C# are either registered trademarks or trademarks of Microsoft Corporation in the United States and/ or other countries. JEE and Java are either registered trademarks or trademarks of SUN Microsystems and/or Oracle Corporation in the United States and/or other countries. All other trademarks and trade names are the property of their respective owners and used here for identification purposes only.

**GRIDGAIN.COM** 

WHITE PAPER



## Table of Contents

In-Memory Computing
Introducing the GridGain In-Memory Data Fabric
Features
GridGain In-Memory Accelerator For Hadoop At A Glance
In-Memory Accelerator for Hadoop Facilitates Fast Data
Why Fast Data Matters To Your Organization or Project
In-Memory Accelerator for Hadoop vs. Other Solutions
External System To Hadoop
System On Top Of Hadoop
Plug-n-Play Hadoop Accelerator
10x Faster, Minimal Integration, Any Distribution
No ETL Required
Eliminate Hadoop MapReduce Overhead10
Boost HDFS Performance
Hadoop 2.x Support
Speed Up Java/Scala/C/C++/Python MapReduce Jobs10
Any Hadoop Distribution
Plug-n-Play 100% Compatible with HDFS11
Dual-Mode Operation
File-Based and Block-Based LRU Eviction12
GUI-Based File Management
Pre-Fetching And Streaming
GUI-Based HDFS/GGFS Profiler
Read-Through And Write-Through HDFS Caching14
End-to-End Stack & Total Integration14
Core Technology
GridGain Foundation Layer
Hyper Clustering
Zero Deployment
Advanced Security
SPI Architecture and PnP Extensibility15
Remote Connectivity
About GridGain



## In-Memory Computing

GridGain

#### What is In-Memory Computing?

Data volumes and ever decreasing SLAs have overwhelmed existing diskbased technologies for many operational and transactional data sets, requiring the industry to alter its perception of performance and scalability. In order to address these unprecedented data volumes and performance requirements a new solution is required.


With the cost of system memory dropping 30% every 12 months In-Memory Computing is rapidly becoming the first choice for a variety of workloads across all industries. In fact, In-Memory Computing paves the way to a lower TCO for data processing systems while providing an undisputed performance advantage.

## Introducing the GridGain In-Memory Data Fabric

The GridGain In-Memory Data Fabric is a proven software solution, which delivers unprecedented speed and unlimited scale to accelerate your business and time to insights. It enables high-performance transactions, real-time streaming and fast analytics in a single, comprehensive data access and processing layer. The In-Memory Data Fabric is designed to easily power both existing and new applications in a distributed, massively parallel architecture on affordable commodity hardware.

The GridGain In-Memory Data Fabric provides a unified API that spans all key types of applications (Java, .NET, C++) and connects them with multiple data stores containing structured, semi-structured and unstructured data (SQL, NoSQL, Hadoop). It offers a secure, highly available and manageable data environment that allows companies to process full ACID transactions and generate valuable insights from real-time, interactive and batch gueries.

The In-Memory Data Fabric offers a strategic approach to in-memory computing that delivers performance, scale and comprehensive capabilities far above and beyond what traditional in-memory databases, data grids or other in-memory-based point solutions can offer by themselves.



In-Memory Computing is characterized by using high-performance, integrated, distributed memory systems to compute and transact on large-scale data sets in real time, orders of magnitude faster than possible with traditional or hybrid disk-based technologies.

WHITE PAPER:



#### FEATURES

The GridGain In-Memory Data Fabric accesses and processes data from distributed enterprise and cloud-based data stores orders of magnitudes faster, and shares them with today's most demanding transactional, analytical and hybrid applications with varying SLA requirements (real-time, interactive, batch jobs). To that effect, the GridGain In-Memory Data Fabric includes the following four classes of features:







Clustering and Compute Grid



Real-time Streaming



Hadoop Acceleration

The **data grid** feature in the GridGain In-Memory Data Fabric supports local, replicated, and partitioned data sets and allows to freely cross queries between these data sets using standard SQL syntax. It is a fully-featured caching and data grid solution for .NET and C++, besides Java, and includes transactions, client-side caching, etc. It supports standard SQL for querying in-memory data, including support for distributed SQL joins. The GridGain In-Memory Data Fabric offers an extremely rich set of data grid capabilities, including off-heap memory support, load-balancing, fault tolerance, remote connectivity, support for full ACID transactions and advanced security. Its dynamic protocol provides extensive API-parity between Java, .NET and C++ apps, allowing for easy data exchange and cross-platform dynamic queries (e.g. using SQL).

In-Memory **clustering and compute grids** are characterized by using high-performance, integrated, distributed memory systems to compute and transact on large-scale data sets in real-time, orders of magnitude faster than possible with traditional disk-based or flash technologies.

The **real-time streaming** feature of the GridGain In-Memory Data Fabric uses programmatic coding with rich data indexing support to provide CEP querying capabilities over streaming data. The GridGain In-Memory Data Fabric also provides comprehensive support for customizable event workflow.

**Hadoop acceleration** included in the GridGain In-Memory Data Fabric features the GridGain in-memory file system (GGFS). It has been designed to work in dual mode as either a standalone primary file system in the Hadoop cluster, or in tandem with HDFS, serving as an intelligent caching layer with HDFS configured as the primary file system.

## GridGain In-Memory Accelerator For Hadoop At A Glance

#### What is the GridGain In-Memory Accelerator for Hadoop?

The GridGain In-Memory Accelerator for Hadoop is a purpose-built product developed on top of the GridGain In-Memory Data Fabric; it is a plug-and-play solution optimized for in-memory processing that can be downloaded and installed in 10 minutes, and accelerates MapReduce and HIVE jobs by a factor of up to 10 times.

The GridGain In-Memory Accelerator for Hadoop is based upon the industry's first **dual-mode in-memory file system, GridGain File System (GGFS)**, which is 100% compatible with Hadoop Distributed File System (HDFS) and **In-Memory MapReduce** implementation. GGFS is a plug-and-play, "no assembly required", alternative to disk-based HDFS enabling orders of magnitude faster performance for IO and network intensive Hadoop MapReduce jobs running on tens of hundreds of computers in a typical Hadoop cluster.



GridGain's In-Memory MapReduce allows to effectively parallelize the processing of in-memory data stored in GGFS. It eliminates the overhead associated with job tracker and task trackers in a standard Hadoop architecture while providing low-latency, HPC-style distributed processing.

The In-Memory Accelerator for Hadoop is a first-of-its-kind Hadoop extension that works with your choice of Hadoop distribution, which can be any commercial or open source version of Hadoop available, including Hadoop 1.x and Hadoop 2.x distributions. The In-Memory Accelerator for Hadoop is designed to provide the same performance benefits whether you run Cloudera, HortonWorks, MapR, Apache, Intel, AWS, or any other distribution.

GGFS support for dual-mode allows it to work as either a standalone primary file system in the Hadoop cluster, or in tandem with HDFS, serving as an intelligent caching layer with HDFS configured as the primary file system. As a caching layer it provides highly tunable read-through and write-through behavior. In either case GGFS can be used as a drop-in alternative for, or an extension of, standard HDFS providing an instant performance increase.

The unique "plug-in" architecture behind In-Memory Accelerator For Hadoop gives you the freedom to not only choose any Hadoop distribution but also use any of the dozens of Hadoop-based tools that your organization already utilizes without interruption because GGFS requires zero code change to existing MapReduce jobs. Whether you use standard tools such as HBase, Hive, Mahout, Oozie, Flume, Scoop, or Pig, or any of the commercial BI, data visualization or data analytics platforms, you can continue to use them without any change while enjoying an instant performance boost.

In the sections that follow we will look at the following questions:

- > What problems does the GridGain In-Memory Accelerator for Hadoop solve?
- > What makes the GridGain In-Memory Accelerator for Hadoop a unique solution?
- > What are the key technical features of the GridGain In-Memory Accelerator for Hadoop?

### In-Memory Accelerator for Hadoop Facilitates Fast Data

#### What problem does the GridGain In-Memory Accelerator For Hadoop solve?

In today's world, IT and business users alike are challenged with the need for better information and knowledge to differentiate, innovate and ultimately reshape their businesses. In a rapidly growing number of cases that process is being enabled by a move to Big Data.

Companies around the world are increasingly collecting vast quantities of real-time data from a variety of sources – from self-documenting online social media to highly structured transactional data, to data from embedded devices and the "Internet of Things". Once collected, users or businesses are trying to make sense of the data for patterns and insights that can be used to drive better and optimized business decisions or actions.

Specialized new technologies like Hadoop are being used to store and process vast amounts of data in bulk in a predominately off-line batch-oriented mode. Consequently, most of the focus on Big Data to date has been on "low hanging fruit" analytics (i.e. traditional OLAP) use cases where the data being processed is relatively static—meaning that it has already been collected and stored in Hadoop and will never be updated.

This is where Fast Data comes into play. Fast Data is a complementary technology to Big Data where the focus is shifted toward processing large operational (i.e. traditional OLTP) and/or streaming data sets with low-latency, in real-time. Fast Data focuses on delivering instant awareness and instant actions to businesses and users. It often relies



on and leverages Big Data sources but adds the distinct real-time capabilities by providing instant actionable results to businesses based on live, up-to-the-second data.

The GridGain In-Memory Accelerator for Hadoop enhances existing Hadoop technology to enable Fast Data processing using the tools and technology your organization is already using today.

#### WHY FAST DATA MATTERS TO YOUR ORGANIZATION OR PROJECT

The best way to answer this question is to examine how Fast Data is used in different industries by some of GridGain's customers today.

An electric power plant uses Fast Data technology to make real time decisions when demand spikes. In such a case the power plant has to decide whether to turn on additional production capacity, buy the required power on the spot market, or let someone else fulfill the demand. That decision depends on a multitude of factors such as current weather forecast, historical trends regarding demand and usage, immediate cost-benefit analysis, and current prices on the energy spot market. A Fast Data system can collect live streaming information and aggregate it with existing historical data stored in a Big Data system to provide real-time decision-making capability.

A wireless telecommunication provider is using Fast Data to help manage its resources more effectively. This starts with optimizing capital expenditure (CAPEX) on network infrastructure while lowering or maintaining operational expenditure (OPEX). To achieve this, it requires the ability to develop real-time insights to understand allocation of network resources based on traffic, specific application requirements and network usage patterns. Ultimately, Fast Data can help gain real-time insights derived from the live data instead of relying solely on approximate trending on historical data.

An analytics company that provides big data analytics services and software to their clients uses Fast Data to accelerate their interactive/ad hoc analytics. Their users interactively analyze customer interactions from a variety of sources such as Integrated Voice Response (IVR) data and authenticated and non-authenticated browsing history from their customers' corporate web properties for insight and patterns as to the effectiveness of marketing, support and promotional materials. By providing Fast Data to their end users they are able to empower their users to explore and discover, in real-time, previously hidden insights into what makes a successful customer interactions.

Finally, an online ad serving company uses Fast Data technology to fuse live clickstreams with pre-built insights and a behavioral data set that is based on collected historical data. Fast Data can process real-time information about millions of events per second into business intelligence and insights. These insights in turn help drive optimized and personalized ad placement based on each customer's experience. Fast Data collects data about what customers are currently doing, or how they have recently interacted with the company through other various channels, including purchasing, social media and email – leading to an understanding of the total customer experience and, ultimately, better conversion rates.


These are just a few of the many ways in which organizations are using, and will be using, Fast Data to augment the power of Big Data. Fast Data is quickly becoming one of the top tools for organizations trying to keep up with information coming from various sources and make real-time decisions that serve the need of their customers and the business.



## In-Memory Accelerator for Hadoop vs. Other Solutions

#### What makes the GridGain In-Memory Accelerator for Hadoop a unique solution?

To understand how the GridGain In-Memory Accelerator for Hadoop differs from other solutions, let's examine three different approaches that an organization can take to introduce Fast Data into an existing Big Data system based on Hadoop.



#### **EXTERNAL SYSTEM TO HADOOP**

The unique characteristic of these solutions is their reliance on an external system that stores, often temporarily, an operational subset of the Big Data that needs to be processed faster and with lower latency. Typically this data subset is defined as a sliding, time-based window of data such as "last 24 hours of activity", "last month of sales", "last quarter of inventory", and so on.

Typically these systems are deployed alongside Hadoop in an up-stream or down-stream fashion. In the up-stream scenario these systems usually process incoming streaming data in a real-time context while asynchronously storing this data into long-term durable storage in Hadoop. In the down-stream scenario the data subset is manually or automatically ETL-ed from Hadoop into the system when it needs to be processed in real-time.

Solutions in this category are represented by a variety of products including standard SQL, MPP DBMS, new NoSQL and NewSQL DBMS, in-memory DBMS, and Streaming

Processing systems. There are many products in this category with all of them invariably requiring a trade-off between the time and material cost of implementation vs. optimization for high performance and low latency processing.

And despite the fact that these solutions can provide the true real-time and low latency processing required by Fast Data (and limited to a subset of the overall data stored in Hadoop) – they do require a substantial additional development effort to the existing Hadoop-based system which may limit their practical applicability.

#### SYSTEM ON TOP OF HADOOP

The defining characteristic of these solutions is that they use Hadoop as a primary storage system and provide faster data processing capabilities on top of existing data stored in Hadoop HDFS without a need to move the data, even temporarily, elsewhere.

Examples in this category include HBase and HadoopDB – OLAP databases based on top of Hadoop – and various SQL interfaces for Hadoop like Cloudera Impala, DrawnToScale, as well as extensions to standard Hadoop Pig and Hive such as HortonWorks Stinger initiative or Apache Drill project. These products and projects employ a combination of sophisticated distributed indexing, MPP-style query optimization, relaxed consistency models or in-memory processing to gain high performance and low latency capabilities for processing data stored directly in Hadoop.



Solutions in this category strike a different balance than the ones we discussed above. While they require less integration and development, they also provide significantly smaller performance gain. While they can be used to achieve Fast Data processing, these solutions are often primarily selected for other reasons such as a familiar SQL interface or desired OLAP database functionality. Systems on top of Hadoop are also not a good choice for Streaming Processing due to the fact that they are still limited by standard HDFS – the underlying storage technology in Hadoop.

#### PLUG-N-PLAY HADOOP ACCELERATOR

The GridGain In-Memory Accelerator for Hadoop was designed to eliminate the trade-offs when adding Fast Data capabilities to existing Hadoop systems. Compared to external systems and systems on top of Hadoop, the GridGain In-Memory Accelerator for Hadoop delivers these three unique characteristics:

- 1. It requires **minimal or no additional integration** or development. It requires only minimal configuration change to existing Hadoop clusters and simple integration for In-Memory MapReduce. It works out-of-the-box with hundreds of projects in the Hadoop eco-system including standard HBase, Hive, Mahout, Oozie, Flume, Scoop, and Pig.
- 2. It is designed to work with any **existing Hadoop distribution**, open source or commercial no need to roll out yet another proprietary distribution. This design enables the use of your existing Apache, Pivotal, Intel, Cloudera, HortonWorks, MapR, AWS, or any other Hadoop 1.0 or Hadoop 2.0 (YARN) distributions.
- 3. It provides up to a **10x performance** increase for IO, network or CPU intensive Hadoop MapReduce job and HDFS operation delivering easy and quick acceleration to existing Hadoop-based systems and products.

One of the key elements of the architecture of the GridGain In-Memory Accelerator for Hadoop is GGFS – a dual-mode, high performance in-memory file system. Due to its dual-mode design, GGFS can work as either a standalone primary file system in the Hadoop cluster, or work in tandem with existing HDFS, providing an intelligent caching layer for the primary HDFS. When GGFS is used as a standalone primary file system it brings a host of its own unique additional benefits to the Hadoop cluster:

1. **Simplified Deployment.** Unlike the Hadoop master-slave architecture, the GridGain In-Memory Accelerator for Hadoop is based on peer-to-peer topology and does away with master-slave failover, zookeeper installation or NFS setup for secondary NameNode.

Specifically, the In-Memory Accelerator for Hadoop in a standalone mode eliminates the need for three Hadoop components: NameNode, Secondary NameNode and DataNode, which significantly simplifies Hadoop configuration and deployment.


- 2. Automatic Failover without Shared Storage. Unlike a standard Hadoop installation that requires shared storage for primary and secondary NameNodes which is usually implemented with a complex NFS setup mounted on each NameNode machine, the GridGain In-Memory Accelerator for Hadoop seamlessly utilizes the data grid feature included in the GridGain In-Memory Data Fabric, which provides completely automatic scaling and failover without any need for additional shared storage or risky Single Point Of Failure (SPOF) architectures.
- 3. Improved Scalability and Availability. Unlike Hadoop's master-slave topology (specifically a NameNode component) that prevents it from linear runtime scaling when adding new nodes, the GridGain In-Memory Accelerator for Hadoop is built on a highly scalable, natively distributed partitioned data grid that provides linear scalability and auto-discovery of new nodes. It was independently tested to provide linear scalability with over 2000 nodes in the cluster.



## 10x Faster, Minimal Integration, Any Distribution

What are the key features of the GridGain In-Memory Accelerator for Hadoop?

The architecture of the GridGain In-Memory Accelerator for Hadoop is based on the industry's **first dual-mode in-memory file system**, which is 100% compatible with the Hadoop Distributed File System (HDFS) and YARN-based implementation of **In-Memory MapReduce**.



The GridGain File System (GGFS) is a plug-and-play alternative to the disk-based HDFS enabling up to 10x faster performance for IO, CPU or network intensive Hadoop MapReduce jobs running on tens and hundreds of computers in a typical Hadoop cluster.

It is important to note that the In-Memory Accelerator for Hadoop is built on top of two of GridGain's core technologies: **In-Memory HPC and In-Memory Data Grid**.

These technologies provide infrastructure services and functionality such as cluster and resource management, high-performance distributed partitioning and fully replicated caching with HyperLocking and off-heap memory support, a high-performance execution framework, cluster-aware peer-to-peer zero Java deployment and provisioning, comprehensive security, a SPI-architecture for pluggable system services, advanced load balancing and pluggable fault tolerance.

#### NO ETL REQUIRED

GridGain' unique file system in the In-Memory Accelerator for Hadoop allows it to work with data that is stored directly in Hadoop. Whether the in-memory file system is used in primary mode, or in secondary mode acting as an intelligent caching layer over the primary disk-based HDFS, it completely eliminates the time consuming and costly process of extracting, loading and transforming (ETL) data to and from Hadoop.



The ETL-free architecture of the GridGain In-Memory Hadoop Accelerator enables companies to process live data in Hadoop without the need to offload it to other downstream systems to gain the performance advantages of in-memory computing. The GridGain In-Memory Accelerator for Hadoop avoids duplication of data and eliminates unnecessary data movement that typically clogs the network and I/O subsystems.

#### ELIMINATE HADOOP MAPREDUCE OVERHEAD

For CPU-intensive and real-time use cases, the In-Memory Accelerator for Hadoop relies on an in-memory MapReduce implementation that eliminates standard overhead associated with typical Hadoop's job tracker polling, task tracker process creation, deployment and provisioning. GridGain's implementation of in-memory MapReduce is a highly optimized, HPC-based implementation of the MapReduce concept enabling true low-latency data processing of data stored in the GridGain File System (GGFS):

#### **BOOST HDFS PERFORMANCE**

The GridGain In-Memory Accelerator for Hadoop ships with transparent benchmarks that compare GGFS and HDFS performance against the same set of operations. These benchmarks indicate an average of 10x performance increase for file system operations.

The following tests were performed on a 10-node cluster of Dell R610 blades with Dual 8-core CPUs, running Ubuntu 12.4 OS, 10GBE network fabric and stock unmodified Apache Hadoop 2.x distribution:

Benchmark	GGFS, ms.	HDFS, ms.	Boost, %
File Scan	27	667	2470%
File Create	96	961	1001%
File Random Access	413	2931	710%
File Delete	185	1234	667%

#### HADOOP 2.X SUPPORT

The GridGain In-Memory Accelerator for Hadoop provides out-of-the-box support for the new Hadoop 2.x (YARN) distributions.

#### SPEED UP JAVA/SCALA/C/C++/PYTHON MAPREDUCE JOBS

The architecture of the GridGain In-Memory Accelerator for Hadoop allows it to speed MapReduce jobs written in any Hadoop supported language and not only in native Java or Scala. Developers can easily reuse existing C/C++/ Python or any other existing MapReduce code with the In-Memory Accelerator for Hadoop to gain significant performance boost.

#### ANY HADOOP DISTRIBUTION

As mentioned above, the GridGain In-Memory Accelerator for Hadoop is not another proprietary Hadoop distribution, rather, it is a first-of-its-kind Hadoop accelerator that has been designed to work with your choice of Hadoop distribution, which can be any commercial or open source version of Hadoop available, and provides the same performance benefits whether you run Cloudera, HortonWorks, MapR, Apache, Intel, AWS, or any other distribution.




#### PLUG-N-PLAY 100% COMPATIBLE WITH HDFS

As the industry's first plug-n-play Hadoop accelerator, the GridGain In-Memory Accelerator for Hadoop does not require any code change to use its in-memory file system. The unique "plug-in" architecture gives you the freedom to not only choose any Hadoop distribution, but also to use any of the dozens of Hadoop-based tools that your organization already has in place. Whether you use standard tools such as HBase, Hive, Mahout, Oozie, Flume, Scoop, or Pig, or any of the commercial BI, data visualization or data analytics platforms, you can continue to use them without any change while realizing an instant performance boost.

#### **DUAL-MODE OPERATION**

As mentioned above, the GridGain File System (GGFS) in the In-Memory Accelerator for Hadoop can work in dual mode:

- 1. Primary, i.e. 100% HDFS compatible in-memory standalone file system, or as an
- 2. Intelligent caching layer for the primary HDFS





To support these two use cases any number of subsets of files or directories in GGFS can be configured with one of the following four different operation modes:

PRIMARY	In this mode GGFS serves as a primary, standalone, distributed in-memory file system. All files and directories with this mode will be stored in memory only.					
PROXY	In this mode GGFS serves as a proxy which will always delegate to HDFS without caching anything in memory. Files and directories configured with this mode will be stored on underlying HDFS via pass through read and write.					
DUAL_SYNC	In this mode, GGFS will synchronously read through from HDFS whenever data is requested and is not cached in memory, and synchronously written through to HDFS whenever data is updated or created in GGFS. Essentially, in this case GGFS serves as an intelligent caching layer on top of HDFS. All files and directories configured with this mode will be simultaneously stored in memory as well as in underlying HDFS.					
DUAL_ASYNC	In this mode GGFS will synchronously read through from HDFS whenever data is requested and is not cached in memory (just like in DUAL_SYNC mode), and asynchronously written through to HDFS whenever data is updated or created in GGFS. Since data is modified in HDFS asynchronously, there is a lag between GGFS updates and HDFS updates, however the performance of updates is significantly faster than using HDFS directly. Essentially, in this case GGFS again serves as an intelligent caching layer on top of HDFS.					

#### FILE-BASED AND BLOCK-BASED LRU EVICTION

GGFS supports data sets that are significantly larger than the memory available on all participating cluster nodes. For example, if you have 10 nodes with 120GB of RAM each, then GGFS will be able to cache about 1TB of data total across 10 grid nodes, however, the total working set managed by In-Memory HDFS may be in petabytes. Such behavior is achieved via smart eviction policies implemented within GGFS.

Whenever read-through or write-through is enabled, GGFS utilizes a block-based eviction policy and evicts the oldest unused file blocks from memory. This is safe because whenever evicted data will be requested in future, it will be automatically read through from the underlying disk-based HDFS file system.

If GGFS works as a primary file system, without HDFS underneath, then evicting individual file blocks would essentially corrupt the in-memory file. In this case GGFS will evict the oldest unused file as a whole, instead of individual blocks, to free up memory for new data. However, even in this case, the configuration is flexible and you can configure any subset of files to never be evicted at all.



#### **GUI-BASED FILE MANAGEMENT**

The GridGain In-Memory Accelerator for Hadoop comes with a comprehensive unified GUI-based management and monitoring tool called GridGain Visor. It provides deep administration capabilities including an operations & telemetry dashboard, data grid and compute grid management, as well as GGFS management that provides GGFS monitoring and file management between HDFS, local and GGFS file systems.

🕏 Dashboard	d 🗊 🗊	Database		📕 SQL Vi	iewer 🛛 🔫 T	Telemetry 🕘	GGFS 🦅 Stre	aming 🛛 🖄 File I	Manager: 1 🗵	🔛 Profiler: ggfs	× 🔛 Profi	ler: ggfs (snapshot	16:37:59) ×
GGF Star	55	L5, 16:33:32	Nodes: Total Capacity			45Bytes 0.00% 2.1GB 100.00%	Directories: 0 Files: 0				Ē	Undock 📮 Re	fresh 🛛 🖯 Clo
	Sho	w 30 🔻	min	rectories es For Reac	File	s s For Write			Show 30 💌	min	otal Capacity ee Space	Used Space	
2- [	1 M	-						200					
		16:34:30 Number	Of Files: 717					2GB					
								1GB -					
3	11							573MB					
1	16:34	16	:35	16:36	10	5:37	16:38	16:	34	16:35	16:36	16:37	16:38
s selected	: 0 Filter	r		Show:	100 🔻	Pr Px Ds D	GGFS Modes			Stop	ear 🕼 Sn	apshot	
	Pa	th		Size 🔺	Uniformity	Bytes Read	Read Time	User Read Time	Read Speed	Bytes Written	Write Time	User Write Time	Write Speed
oad/prima	ry/file-79	a2cbad-33	17-474 10	21.2KB	99.66%	1.5 MB	1.83ms	29µs	794.9MB/sec.	1005.1KB	1.31ms	46µs	751.6MB/sec
fsload/primary/file-19705790-5486-4d			86-4d 10	21.8KB	99.70%	5.2MB	8.16ms	240µs	639.3MB/sec.	4.9MB	5.88ms	280µs	838.1MB/sec
/fsload/primary/file-43103419-bfaa-4c5			a-4c5 10	22.8KB	99.65%	1.3MB	2.15ms	36µs	594.7MB/sec.	967.2KB	1.26ms	40µs	751.4MB/sec
ad/prima	ry/file-86	f3235c-7c0	f-44d5 10	22.8KB	99.70%	4.7MB	7.93ms	212µs	589.1MB/sec.	5.2MB	5.94ms	260µs	878.6MB/sec
/fsload/primary/file-ac809121-6be1-45b			1-45b 10	23.6KB	99.68%	5.8MB	7.70ms	173µs	751.2MB/sec.	5.1MB	6.19ms	273µs	831.9MB/sec
oad/prima	ry/file-48	e93632-69	64-4b 10	23.8KB	99.68%	1.6MB	2.44ms	36µs	647.3MB/sec.	1.0MB	1.13ms	41µs	918.6MB/sec
/fsload/primary/file-d9647704-547e-48			7e-48	1.0MB	99.73%	1.7MB	1.96ms	29µs	859.4MB/sec.	1.0MB	1.16ms	53µs	898.6MB/sec
/fsload/primary/file-384bfdb6-1bc1-48b			1-48b	1.0MB	99.67%	5.3MB	6.70ms	159µs	798.0MB/sec.	4.8MB	6.48ms	402µs	735.2MB/sec
oad/prima	ry/file-48	bf2dbd-b5	/d-431	1.0MB	99.68%	5.3MB	7.58ms	1.04ms	697.9MB/sec.	5.0MB	5.95ms	427µs	840.6MB/sec
oad/prima	ry/file-d9	41ec76-ab	75-421	1.0MB	99.65%	1.4MB	2.07ms	34µs	666.4MB/sec.	982.2KB	1.33ms	55µs	722.8MB/sec
oad/prima	ry/file-3e	0e7a6a-be4	b-405	1.0MB	99.65%	1.4MB	1.79ms	71µs	758.6MB/sec.	1.0MB	1.07ms	43µs	970.7MB/sec
/fsload/primary/file-7c3526a0-7fae-49c2			e-49c2	1.0MB	99.65%	1.3MB	1.64ms	48µs	786.6MB/sec.	1.0MB	906µs	42µs	1.1GB/sec.
/fsload/primary/file-d9dbdc98-f4d7-4e9				1.0MB	99.84%	1.9MB	1.91ms	36µs	1007.8MB/sec.	1.0MB	1.52ms	41µs	673.9MB/sec
/fsload/primary/file-ca82d6dc-b38f-41c6			f-41c6	1.0MB	99.67%	1.2MB	1.48ms	23µs	820.8MB/sec.	1.0MB	1.14ms	39µs	896.1MB/sec
			1.0MB	99.67%	6.0MB	8.07ms	212µs	738.9MB/sec.	5.0MB	6.03ms	453µs	832.6MB/sec	
/fsload/primary/file-4687066b-088a-4ce 1.0MB 99.68% 5.2MB				6.75ms	156µs	764.4MB/sec.	4.9MB	5.20ms	257µs	949.1MB/sec			
sioau/prima	iry/me=40	00000-00	od-400	1.0100	33.00%	5.2 MD	0.751115	150µ3	704.4Mb/3ec.	4.5Mb	5.20113	257µ3	343.1MD/:

#### PRE-FETCHING AND STREAMING

To ensure seamless and continuous performance during MapReduce file scanning, GGFS does smart data prefetching via streaming data that is expected to be read in the nearest future to the MapReduce task ahead of time.

By doing so, GGFS ensures that whenever a MapReduce task finishes reading a file block, the next file block is already available in memory. A significant performance boost is achieved here due to the implementation of proprietary Inter-Process Communication (IPC) which allows GGFS to achieve throughput up to 30 Gigabit/second between two processes.

#### **GUI-BASED HDFS/GGFS PROFILER**

As part of the GridGain Visor, the GridGain In-Memory Accelerator for Hadoop also comes with a GUI-based file system profiler, which allows to keep track of all operations your GGFS or HDFS file systems make and identifies potential hot spots. GGFS profiler tracks speed and throughput of reads, writes, various directory operations, for all files, and displays these metrics in a convenient view which allows you to sort based on any profiled criteria, e.g. from slowest write to fastest.



Profiler also makes suggestions whenever it is possible to gain performance by loading file data into in-memory GGFS.

#### READ-THROUGH AND WRITE-THROUGH HDFS CACHING

When GGFS is used as an intelligent caching layer on top of the primary HDFS, if data is read from GGFS and this data is not currently in memory, it will be read through from HDFS on first access and then remain in the memory cache. The reverse happens whenever a write occurs – the data will get written into memory and it will also get either synchronously or asynchronously written to HDFS.

When reading and writing to and from HDFS is enabled, data cached in GGFS always gets persisted to the on-disk file system. This means that the data will survive any GGFS failures and data will be reloaded transparently on-demand whenever GGFS is restarted.

## End-to-End Stack & Total Integration

#### What other GridGain technologies are available?

The GridGain In-Memory Accelerator for Hadoop is a purpose-built product developed on top of the GridGain In-Memory Data Fabric; it is a plug-and-play solution optimized for in-memory processing that can be downloaded and installed in 10 minutes, and accelerates MapReduce and HIVE jobs by a factor of up to 10 times.

The GridGain In-Memory Data Fabric provides a comprehensive in-memory computing solution, from high performance computing, streaming, and data grids to Hadoop acceleration. It is a complete and fully integrated solution for low-latency, high performance computing for each and every category of payloads and data processing requirements. Total integration is further extended with a single unified management and monitoring console.

#### CORE TECHNOLOGY

The GridGain In-Memory Data Fabric is designed to provide uncompromised performance by providing developers with a comprehensive set of APIs. Developed for the most demanding use cases, including sub-millisecond SLAs, the GridGain In-Memory Data Fabric allows to programmatically fine-tune large and super-large topologies with hundreds to thousands of nodes. Key features of the GridGain In-Memory Data Fabric are:

In-Memory HPC	Highly scalable distributed framework for parallel High Performance Computing (HPC).
In-Memory Data Grid	Natively distributed, ACID transactional, SQL and MapReduce based, in-memory object key-value store.
In-Memory Streaming	Massively distributed CEP and Stream Processing system with workflow and windowing support.

## GridGain Foundation Layer

#### What are the common components across all GridGain products?

The GridGain foundation layer is a set of components shared across all functional areas in the GridGain In-Memory Data Fabric. It provides a common set of functionality available to the end user such clustering, high performance distributed messaging, zero-deployment, security, etc.



#### **HYPER CLUSTERING®**

GridGain provides one of the most sophisticated clustering technologies on Java Virtual Machines (JVM) based on its Hyper Clustering<sup>®</sup> technology. The ability to connect and manage a heterogeneous set of computing devices is at the core of GridGain's distributed processing capabilities.

Clustering capabilities are fully exposed to the end user. The developers have full control with the following advanced features:

- > Pluggable cluster topology management and various consistency strategies
- > Pluggable automatic discovery on LAN, WAN, and AWS
- > Pluggable "split-brain" cluster segmentation resolution
- > Pluggable unicast, broadcast, and Actor-based cluster-wide message exchange
- > Pluggable event storage
- > Cluster-aware versioning
- > Support for complex leader election algorithms
- > On-demand and direct deployment
- > Support for virtual clusters and node groupings

#### ZERO DEPLOYMENT

The zero deployment feature means that you don't have to deploy any components individually on the grid – all code together with resources gets deployed automatically. This feature is especially useful during development as it removes lengthy Ant or Maven rebuild routines or copying of ZIP/JAR files. The philosophy is very simple: write your code, hit a run button in the IDE or text editor of your choice and the code will be automatically be deployed on all running grid nodes. Note that you can change existing code as well, in which case old code will be undeployed and new code will be deployed while maintaining proper versioning.

#### ADVANCED SECURITY

The GridGain security components of the foundation layer provide two levels by which security is enforced: cluster topology and client connectivity. When cluster-level security is turned on, unauthenticated nodes are not allowed to join the cluster. When client security is turned on, remote clients will not be able to connect to the grid unless they have been authenticated.

#### SPI ARCHITECTURE AND PNP EXTENSIBILITY

The Service Provider Interface (SPI) architecture is at the core of the GridGain In-Memory Data Fabric; it allows GridGain products to abstract various system level implementations from their common reusable interfaces. Essentially, instead of hard coding every decision about internal implementation of the product, GridGain products instead expose a set of interfaces that define their internal view on their various subsystem. Users then can choose to either use the built-in implementations or roll out their own when they need different functionality.



GridGain products provide SPIs for 14 different subsystems, all of which can be freely customized:

> Cluster discovery

GridGain

- > Cluster communication
- > Deployment
- > Failover
- > Load balancing

- > Authentication
- > Task checkpoints
- > Task topology resolution
- > Resource collision resolution
- Event storage

- neely customized.
- > Metrics collection
- > Secure session
- > Swap space
- > Indexing

Having the ability to change the implementation of each of these subsystems provides tremendous flexibility to how GridGain products can be used in a real-world environment. GridGain software blends naturally in almost any environment and integrates easily with practically any host eco-system.

#### **REMOTE CONNECTIVITY**

The GridGain In-Memory Data Fabric comes with a number of Remote Client APIs that allow users to remotely connect to the GridGain cluster. Remote Clients come for multiple programming languages including Java, C++, REST and .NET C#. Among many features, the Remote Clients provide a rich set of functionality that can be used without a client runtime being part of the GridGain cluster: run computational tasks, access clustering features, perform affinity-aware routing of tasks, or access in-memory data grid.

#### ABOUT GRIDGAIN™

GridGain, the leading provider of the open source In-Memory Data Fabric, offers the most comprehensive in-memory computing solution to equip the real-time enterprise with a new level of computing power. Enabling high-performance transactions, real-time streaming and ultra-fast analytics in a single, highly scalable data access and processing layer, GridGain enables customers to predict and innovate ahead of market changes. Fortune 500 companies, top government agencies and innovative mobile and web companies use GridGain to achieve unprecedented computing performance and business insights. GridGain is headquartered in Foster City, California. To download the GridGain In-Memory Data Fabric, please visit http://www.gridgain.com/download/.

## GridGain In-Memory Data Fabric

ULTIMATE SPEED AND SCALE

**COMPREHENSIVE AND PROVEN** 

**OPEN AND AFFORDABLE** 

#### Learn more at www.gridgain.com/products

© 2014 GridGain Systems, Inc. All Rights Reserved

GRIDGAIN.COM